

Note: Hik-Connect is for systems with indoor stations, HikCentral Connect is for systems without indoor stations











Convenient control via mobile App.

Safe & Convenient Daily Use


- ✓ Access Control Permissions Residents & Visitors
- Residents

Residents: Open doors via QR Code / Bluetooth (manually) and control doors remotely

HCC User Interface Draw Near to Open Door



Temporary Pass



QR code



Remote door control












Safe & Convenient Daily Use

Visitors

Authentication method: QR code.












Solution & benefits for

Residents

compatible Door Station Introduction - KD9 Series



20,000 500

Users **Indoor Stations**

10,000 16

Faces Sub door stations

Intuitive operation for a better user experience

Touch screen UI, WEB

Multiple intelligent authentications

Card, PIN code, QR code Fingerprint & Face Recognition

Great image quality even in darkness

See clearly with the 2MP camera

High level of protection





V2.3.9 or newer firmware support cloud-based video intercom









Compatible List & License

Compatibility List

Door Station: DS-KD9403-E6 \ DS-KD9633-E6 \ DS-KD9633-WBE6

• Firmware: V2.3.9 or newer

HikCentral Connect: V1.2 or newer

HikCentral Connect App: V1.2.0 or newer



License				
Туре	SAP Code	Name	Number of rooms	Period
Free	-	-	2 rooms	NA
Subscription	680100173	HCC-Intercom/1Room/1Y	1 room	1 year
	680100186	HCC-Intercom/1Room/3Y	1 room	3 year
			•	

NOTE: Cloud intercom is used to cover scenarios that cannot be covered by IP intercom products

*up to 6 resident accounts for 1 room.







